
stable

Release 2.3

December 19, 2016

Contents

1 Library Usage	3
2 Command Line Usage	5

A Python library (and super simple command line app) for [Pushbullet](#).

Library Usage

```
>>> from pushbullet.pushbullet import Pushbullet
>>> pb = Pushbullet(api_key='replace-with-your-api-key')
>>>
```

List devices:

```
>>> pb.list_devices()
{u'shared_devices': [], u'devices': []}
>>>
```

Send a note:

```
>>> pb.bullet_note(device_idn, title="Hello, World!", body="This is an example note.")
{ }
>>>
```

Command Line Usage

```
$ pushbullet --help
pushbullet -h
usage: pushbullet [-h] -a API_KEY [-d DEVICE]
                  [-t {note,link,address,list,file}] [-n TITLE] [-b BODY]
                  [-i ITEMS] [-f FILE] [-l]

optional arguments:
  -h, --help            show this help message and exit
  -a API_KEY, --apikey API_KEY
                        What is your Pushbullet API key?
  -d DEVICE, --device DEVICE
                        What device do you want to send the bullet to?
  -t {note,link,address,list,file}, --type {note,link,address,list,file}
                        What type of bullet do you want to send?
  -n TITLE, --name TITLE, --title TITLE
                        The title/name of the note, link, address, or list.
  -b BODY, --body BODY, --address BODY
                        The body, address of the note or additional data for a file.
  -u URL, --url URL
                        The referenced url of the link.
  -i ITEMS, --items ITEMS
                        The items in a list.
  -f FILE, --file FILE The file to push.
  -l, --list-devices   Get a list of devices.
```